

Moody 38CC "Lucca" now for sale!



Lucca carried us through the swedish archipelago in the summer season but served also a year-around- home. We spent two nordic winters as live-aboard and she provided a warm and spacious shelter from snow, ice and winter gales.













Since the cover for the upholstery could not hide traces of tear and wear any longer we replaced it with a high quality fabric in a new design.

To get an easy accessible storage for clothes and equipment we converted the single berth on starbord to a spacious wardrobe.



Our Moody 38 is equipped to cover the needs for sailing in Northern Europe <u>and</u> the Mediterranean. Gangway, bimini-top and effective solar panels are very valuable in all climate zones.

A tribute to the northern climate has been additional insulation, installing of a WEBASTO Diesel heater and Cockpit tent






2011 Lucca got a protective Epoxy-treatment (WREDE / Germany) and new Antifouling.. The rusty CQR Anchor was replaced with a 20kg MANSON SUPREME.

The three-color-Navigation/anchor light and all inside lights were changed to with power saving LED lamps. All Toilet outlet-pipes has been exchanged in 2012 and the holding tank found a new home closer to the toilet midship on port side in order to ease maintenance and comply with swedish environmental legislation.



MOODY 38 CC

1995 / Design Bill Dixon Building- Nr. 9141 / Marine Projects, Swanwick Southampton / UK



Dimension

LOA: 11,43m B: 3,86m

D: 1,37m (shoal keel)

 LWL:
 9,60m

 Displ.:
 8138kg

 Ballast:
 3114kg

Mast height above water: 17,00m

Tank-capacity:

Fuel: 227 | Diesel

Water: 364 I Waste. 54 I

Engine

Volvo Penta MD22L 4 cylindre / 50 hp fresh water cooling shaft / 3-blade propeller

Sail-equipment

Roller Genoa: 44,7m2

Main sail: 24,1m2 (in-Mast-Furling)

Blister

KEMP mast + boom

Rodkick

Lewmar winches:

2x ST48 Genua sheets

2x ST16 Furling Mainsail control + Spi 2x S8 Mainsheet + Genua control line

1x ST30 Halyards

Mast steps

Navigation

Compass (Whitlock)
Autopilot AUTOHELM 7000
GPS Plotter INTERPHASE 169csi
GPS Receiver MLR FX312
Radar FURUNO 1623
Radio
Navtex Clipper weatherman
AUTOHELM Tridata
AUTOHELM Wind

Energy

2x 100Wp-Solar Panel (120x53cm)
60 amp alternator
2x 85A Heavy Duty Batteries
1x 85 A Start Battery
all domestic lights converted to LED
Tricolor/Anchor toplight LED
Deck light: LED
Electricity Control Panel with
automatic fuses

230V-shore power system with seperator for galvanic protection

Galley

2-flame Gas stove with oven
Fridge
2 sink
Warm/Cold water pressure system
Plenty of food storage

Comfort

Fore cabin 2 Berth / Locker / storage / skylight
Aft (Master-) cabin:
big double berth / locker / storage /
3 windows + skylight
2 Bathroom each with washbasin and marine toilets

Big storage (dressing) room on stb, can be converted to a single berth

Large saloon, big foldable table, seating for 6

Large saloon, big foldable table, seating for person / cabinets and spacious storage skylight

Heating system WEBASTO Airtop EVO 3900 5-3,3 (3,9) kW

Deck

Spray hood
Cockpit tent with Bimini
Gangway Teak/Alloy
2 deep Lazaret lockers
seperate Gas locker (outbord ventilated)
Shower on stern platform
Cockpit table
Bathing ladder
6 strong klamps (aft/fore/id)
Docking lines
Fender

Anchor equipment

LOFRANS Windlass 1000W
MANSON SUPREME main anchor,
20kg / 20m 8mm chain combined with
30m Multplaid 18mm line (Marlow)
FORTRESS stern Anchor, 8m 10mm
chain combined with 50m line (on roll)

Safety

2 manual fire extinguisher automatic fire extinguisher in engine compartment + engine ventilation life raft 6 person (last maintenance 2005) lifebuoy with 50m line fire detector in salon

electr . bilge pump in engine compartment manual bilgepump operated from Cockpit (GUSHER 30)

Seacocks

1x cockpit drainer (out)

1x Cooling water for engine (in)

2x toilet (in)

2x toilet (out)

1x Waste tank (out)

1x galley sink (out, above waterline)

2x bathroom sink (out, above waterline)

Located in Pukavik / Sweden

Contact:

Gitta & Andreas Kreft

e-mail: gittaandreas@gmail.com

phone: +46 732 321 286 / +46 730 552 930

